ELSEVIER

Carbohydrate Research 260 (1994) C29–C31

CARBOHYDRATE RESEARCH

CONTENTS

An NMR, X-ray crystal structure, and molecular mechanics study of di-(3-deoxy-D-*glycero*-pentulose) 1,2' : 2,1' dianhydride
A.D. French (New Orleans, LA, USA), G.A. Jeffrey (Pittsburgh, PA, USA), P. Pfeffer, R.L. Dudley (Philadelphia, PA, USA), Y. Yeon (Chungbuk, Korea) and E. Nitsch (Linz Donau, Austria) 1

Chemical and spectroscopic studies of *Cercidium praecox* gum exudate
G.L. De Pinto, M. Martínez (Maracaibo, Venezuela) and C. Rivas (Caracas, Venezuela) . . . 17

Aromatic molecules included into and contacting the outer surface of cyclomaltohexaose (α-cyclodextrin): crystal structure of α-cyclodextrin–(benzyl alcohol)$_2$-hexahydrate
T. Steiner and K. Geßler (Berlin, Germany) 27

Synthesis and biological activities of (4,6-di-*O*-phosphonato-β-D-mannopyranosyl)methylphosphonate as an analogue of 1L-*myo*-inositol 1,4,5-trisphosphate
S.-K. Chung and S.-H. Moon (Pohang, Korea) 39

Synthesis of sulfated alkyl malto- and laminara-oligosaccharides with potent inhibitory effects on AIDS virus infection
K. Katsuraya, N. Ikushima, N. Takahashi, T. Shoji, H. Nakashima, N. Yamamoto, T. Yoshida and T. Uryu (Tokyo, Japan) 51

Synthesis of octyl 2-*O*-α-D-mannopyranosyl-α-D-mannopyranoside, its 6'-phosphate and the corresponding monomethyl phosphodiester: intermediate structures in the biosynthesis of N-linked oligosaccharides in *Dictyostelium discoidium*
C. Hällgren and O. Hindsgaul (Alberta, Canada) 63

New glycolipids (chitooligosaccharide derivatives) possessing immunostimulating and antitumor activities
V.I. Gorbach, I.N. Krasikova, P.A. Luk'yanov, Y.N. Loenko, T.F. Solov'eva, Y.S. Ovodov (Vladivostok, Russian Federation), V.V. Deev and A.A. Pimenov (Moscow, Russian Federation) 73

Numerical model for alginate block specificity of mannuronate lyase from *Haliotis*
K. Østgaard, B.T. Stokke and B. Larsen (Trondheim, Norway) 83

Simultaneous determinations of the molecular weight distributions of amyloses and the fine structures of amylopectins of native starches
M.H. Ong, K. Jumel, P.F. Tokarczuk, J.M.V. Blanshard and S.E. Harding (Loughborough, United Kingdom) 99

Studies of the degradation of pullulan by the decycling maltodextrinase of *Flavobacterium* sp.
H. Bender (Freiburg, FRG) 119

Notes

A simple, rapid, and semiquantitative assay for the determination of *endo*-(1 → 5)-α-L-arabinanase (EC 3.2.1.99) activity in column chromatography eluate fractions
M.P.H. Dunkel and R. Amadò (Zürich, Switzerland) 131

Synthesis of acylated tri- and tetra-saccharides with one thioureylene group
J. Fuentes Mota, T. Cuevas and M.A. Pradera (Seville, Spain) 137

Preparation of 2,5-anhydro-3,4,6-tri-*O*-benzoyl-D-allononitrile from D-glucose
M. Popsavin, V. Popsavin, N. Vukojević, J. Csanádi and D. Miljković (Novi Sad, Yugoslavia) . 145

A single-step synthesis of methyl 3-*O*-methyl-α-D-manno-, -α-D-galacto-, -α-L-rhamno-, and -α-L-fuco-pyranoside
W. Liao, Y. Liu and D. Lu (Beijing, China) 151

A facile isolation of 2,5-anhydro-L-iditol
R.J. Rafka and B.J. Morton (Groton, CT, USA) 155

Structural analysis and physico-chemical properties of charge-fractionated dermatan sulfate samples
N. Volpi (Modena, Italy) 159

Regular papers

Crystal structure of a complex of α-cyclodextrin with 2-fluoro-4-nitrophenol · $3H_2O$
M. Shibakami and A. Sekiya (Ibaraki, Japan) 169

^{13}C NMR study on peracetylated derivatives of cyclomaltoheptaose (β-cyclodextrin, β-CD) and its methylated derivative
Y. Tezuka and I. Hermawan (Niigata, Japan) 181

The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of oligosaccharides
G. Blatter, J.-M. Beau and J.-C. Jacquinet (Orléans, France) 189

Improved synthesis and the crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-*glycero*-tetronamido)-α-D-mannopyranoside, the methyl α-glycoside of the intracatenary repeating unit of the O-polysaccharide of *Vibrio cholerae* O:1
M. Gotoh, C.N. Barnes and P. Kováč (Maryland, MI, USA) 203

One-pot-synthesis of α-linked deoxy sugar trisaccharides
S. Köpper and J. Thiem (Hamburg, Germany) 219

Some derivatives of 3-deoxy-D-*glycero*-D-*galacto*-non-2-ulosonic acid (KDN)
S. David, A. Malleron and B. Cavayé (Orsay, France) 233

Tetra-*n*-propylammonium tetra-oxoruthenate(VII): a reagent of choice for the oxidation of diversely protected glycopyranoses and glycofuranoses to lactones
R. Benhaddou, S. Czernecki, W. Farid, G. Ville, J. Xie and A. Zegar (Paris, France) 243

Preparation of 6-deoxy-6-fluorocellulose
N. Kasuya, K. Iiyama, G. Meshitsuka and A. Ishizu (Tokyo, Japan) 251

Structural investigation of *Ceratozamia spinosa* mucilage
G. Barone, M.M. Corsaro, C. De Castro, R. Lanzetta, L. Mangoni and M. Parrilli (Napoli, Italy) 259

Gelation properties of extruded lemon cell walls and their water-soluble pectins
M.-C. Ralet, M.A.V. Axelos and J.-F. Thibault (Nantes, France) 271

Extraction and characterisation of very highly methylated pectins from lemon cell walls
M.-C. Ralet and J.-F. Thibault (Nantes, France) 283

Purification and some properties of cycloinulo-oligosaccharide fructanotransferase from *Bacillus circulans* OKUMZ 31B
M. Kawamura and T. Uchiyama (Osaka, Japan). 297

The structure of the O-antigenic chain of the lipopolysaccharide of *Rhizobium trifolii* 4s
Y. Wang and R.I. Hollingsworth (East Lansing, MI, USA). 305

Notes
Synthesis of phenyl 2-azido-2-deoxy-1-selenoglycosides from disaccharidic glycals
F. Santoyo-González, F.G. Calvo-Flores, P. García-Mendoza, F. Hernández-Mateo, J. Isac-García and R. Robles-Díaz (Granada, Spain) 319

Gram-scale synthesis of α,α-trehalose 6-monophosphate and α,α-trehalose 6,6′-diphosphate
T.E.C.L. Rønnow, M. Meldal and K. Bock (Valby, Denmark) 323

Preliminary communication
Total synthesis of ganglioside GQ1b
H.-K. Ishida, H. Ishida, M. Kiso and A. Hasegawa (Gifu, Japan) C1

Author index C7

Subject index C9

Cumulative author index (Vols. 241–260) C13